tensid[®]uk Itd

SAFETY DATA SHEET

LD RESTORATION CLEANER

Page: 1

Compilation date: 07/11/2013

Revision date: 30/04/2019

Revision No: 3

1.1. Product identifier	
Product name:	LD RESTORATION CLEANER
Product code:	280030
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of substance / mixture:	PC15: Non-metal-surface treatment products.
1.3. Details of the supplier of the saf	ety data sheet
Company name:	Tensid UK Ltd
company name.	Unit 1 Craven Court
	Canada Road
	Byfleet
	Surrey
	KT14 7JI
	United Kingdom
Tel:	+44 (0)1932 564 133
Fax:	+44 (0)1932 562 046
Email:	info@tensid.com
1.4. Emergency telephone number	
Emergency tel:	+44 (0)1932 564 133
Section 2: Hazards identification	
2.1. Classification of the substance of	or mixture
Classification under CLP:	Acute Tox. 3: H301; Skin Corr. 1A: H314
Most important adverse effects:	Toxic if swallowed. Causes severe skin burns and eye damage.
2.2. Label elements	
Label elements:	
Hazard statements:	H301: Toxic if swallowed.
	H314: Causes severe skin burns and eye damage.
Hazard pictograms:	GHS05: Corrosion
	GHS06: Skull and crossbones
	\vee \vee

LD RESTORATION CLEANER

Signal words:	Danger
Precautionary statements:	P260: Do not breathe fumes.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water.
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
Haz. ingredients (label):	GLYCOLLIC ACID; HYDROFLUORIC ACID
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

GLYCOLLIC ACID - REACH registered number(s): 01-2119485579-17

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-180-5	79-14-1	-	Skin Corr. 1B: H314; Acute Tox. 4:	10-30%
			H332	

SULPHAMIC ACID - REACH registered number(s): 01-2119488633-28

226-218-8 53	329-14-6	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412	10-30%
--------------	----------	---	---	--------

DIPROPYLENEGLYCOL METHYLETHER - REACH registered number(s): 01-2119450011-60

252-104-2	34590-94-8	Substance with a Community	-	1-10%
		workplace exposure limit.		

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED (>= 2.5 EO)

-	160901-19-9	-	Aquatic Chronic 3: H412; Eye Dam. 1:	1-10%
			H318; Acute Tox. 4: H302	

HYDROFLUORIC ACID

-	-	-	Acute Tox. 1: H300; Acute Tox. 2: H310;	<1%
			Skin Corr. 1A: H314; Acute Tox. 2:	
			H330	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Page: 2

LD RESTORATION CLEANER

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

- **Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.
- **Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes. Toxic.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

Page: 3

LD RESTORATION CLEANER

6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. 6.4. Reference to other sections **Reference to other sections:** Befer to section 8 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENEGLYCOL METHYLETHER

Workplace expective limite:

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	55 ppm; 308 mg/m3	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Impermeable gloves. Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand. Skin protection: Impermeable protective clothing.

LD RESTORATION CLEANER

Page: 5

available. available. available. available.

Section 9: Physical and chemical properties

9.1. Information on basic	physical and chemica	I properties
---------------------------	----------------------	--------------

State:	Liquid	
Colour:	Colourless	
Odour:	Pungent	
Evaporation rate:	No data available.	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Soluble	
Viscosity:	Highly viscous	
Boiling point/range°C:	No data available. Melting point/range°C:	No data a
Flammability limits %: lower:	No data available. upper:	No data a
Flash point°C:	No data available. Part.coeff. n-octanol/water:	No data a
Autoflammability°C:	No data available. Vapour pressure:	No data a
Relative density:	1.10 pH :	<2
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

LD RESTORATION CLEANER

11.1. Information on toxicological effects

Hazardous ingredients:

GLYCOLLIC ACID

ORAL RAT	LD50	2040	mg/kg
----------	------	------	-------

SULPHAMIC ACID

IPR	RAT	LDLO	100	mg/kg
ORL	MUS	LD50	1312	mg/kg
ORL	RAT	LD50	3160	mg/kg

DIPROPYLENEGLYCOL METHYLETHER

DERMAL	RBT	LD50	9150	mg/kg
ORAL	RAT	LD50	5135	mg/kg

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED (>= 2.5 EO)

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300-2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 3)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

LD RESTORATION CLEANER

Hazardous ingredients:

GLYCOLLIC ACID

Daphnia magna	48H EC50	141	mg/l
FISH (Pimephales promelas)	96H LC50	164	mg/l
GREEN ALGAE (Pseudokirchneriella subcapi	72H ErC50	44	mg/l

SULPHAMIC ACID

DAPHNIA	48H EC50	71.6	mg/l
FISH	96H LC50	70.3	mg/l

DIPROPYLENEGLYCOL METHYLETHER

DAPHNIA	48H EC50	1919	mg/l
FISH	96H LC50	10000	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H LC50	> 969	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1760

Page: 7

LD RESTORATION CLEANER

		Page: 8
14.2. UN proper shipping name		- iger c
<u>·</u>		
Shipping name:	CORROSIVE LIQUID, N.O.S.	
	(GLYCOLLIC ACID ; SULPHAMIC ACID; HYDROFLUORIC ACID)	
14.3. Transport hazard class(es)	
Transport class:	8	
14.4. Packing group		
Packing group:	II	
14.5. Environmental hazards		
Environmentally hazardous:	No Marine pollutant: No	
14.6. Special precautions for us	er	
Special precautions:	No special precautions.	
Tunnel code:	E	
Transport category:	2	
Section 15: Regulatory informa	tion	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
Specific regulations:	Not applicable.	
15.2. Chemical Safety Assessm	ent	
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture	
	by the supplier.	
Section 16: Other information		
Other information		
	eccentrics to Description (EQ) No. 1007/0000 (DEACLI) with its smooth Description	
Other mormation:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	-	
Fillases used ill s.2 alla s.3.	H301: Toxic if swallowed.	
	H302: Harmful if swallowed.	
	H310: Fatal in contact with skin.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H318: Causes serious eye damage.	
	H319: Causes serious eye irritation.	
	H330: Fatal if inhaled.	
	H332: Harmful if inhaled.	
	H412: Harmful to aquatic life with long lasting effects.	

LD RESTORATION CLEANER

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.