# SAFETY DATA SHEET

SAFETY KLEAN

Page: 1

Compilation date: 16/10/2014

Revision date: 28/06/2019

Revision No: 8

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SAFETY KLEAN

Product code: 283095

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC15: Non-metal-surface treatment products.

## 1.3. Details of the supplier of the safety data sheet

Company name: Tensid UK Ltd

Unit 1 Craven Court Canada Road Byfleet Surrey KT14 7JL. United Kingdom Tel: +44 (0)1932 562 046 Email: info@tensid.com

1.4. Emergency telephone number +44 (0)1932 562 046 (office hours only)

#### Section 2: Hazards identification

2.1. Classification of the sub	stance or mixture	
Classification under CLP:	Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Chronic 3: H412; -: EUH208	
Most important adverse effects:	Contains 1,3-diethyl-2-thiourea, benzotriazol, ar-methyl-, reaction product with	
	formaldehyde and diethanolamine. May produce an allergic reaction. Causes severe	
	skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic life with	
	long lasting effects.	
2.2. Label elements		
Label elements:		
Hazard statements:	EUH208: Contains 1,3-diethyl-2-thiourea, benzotriazol, ar-methyl-, reaction product with	
	formaldehyde and diethanolamine. May produce an allergic reaction.	
	H314: Causes severe skin burns and eye damage.	
	H335: May cause respiratory irritation.	
	H412: Harmful to aquatic life with long lasting effects.	

# SAFETY DATA SHEET

SAFETY KLEAN

Page: 2

Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark
Signal words:	Danger
Precautionary statements:	P260: Do not breathe mist/vapours/spray.
	P280: Wear protective clothing, eye protection, face protection.
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water .
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
Haz. ingredients (label):	UREA SALTS; 1,3-DIETHYL-2-THIOUREA; BENZOTRIAZOL, AR-METHYL-, REACTION
	PRODUCT WITH FORMALDEHYDE AND DIETHANOLAMINE
2.3. Other hazards	

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

## Hazardous ingredients:

#### UREA SALTS

EINECS	CAS F	PBT / WEL	CLP Classification	Percent
208-059-6 506-8	39-8 -		kin Corr. 1B: H314; STOT SE 3: I335; Met. Corr. 1: H290	50-70%

QUARTENARY AMMONIUM COMPOUNDS, C12-14-ALKYLTRIMETHYL, ME SULFATES - REACH registered number (s): 01-2120770734-48

306-238-4	96690-44-7	-	Acute Tox. 4: H302; Acute Tox. 3: H311;	<1%
			Skin Irrit. 2: H315; Aquatic Chronic 1:	
			H410; Aquatic Acute 1: H400; Eye Irrit.	
			2: H319	

# SAFETY DATA SHEET

# SAFETY KLEAN

Page: 3

### 1,3-DIETHYL-2-THIOUREA - REACH registered number(s): 01-2119974271-37-XXXX

-	105-55-5	-	Acute Tox. 4: H302; STOT RE 1: H372;	<1%
			Aquatic Chronic 3: H412; Eye Dam. 1:	
			H318; Skin Sens. 1B: H317; Acute Tox.	
			4: H312	

BENZOTRIAZOL, AR-METHYL-, REACTION PRODUCT WITH FORMALDEHYDE AND DIETHANOLAMINE - REACH registered number(s): 01-2119982397-21-XXXX

-	-	-	Acute Tox. 4: H302; Eye Dam. 1: H318;	<1%
			Skin Sens. 1: H317; Aquatic Chronic 3:	
			H412	

# Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.	
	Drench the affected skin with running water for 10 minutes or longer if substance is still	
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10	
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.	
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital	
	as soon as possible.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If	
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure	
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and	
	provide oxygen if available. Transfer to hospital as soon as possible.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
Eye contact:	Corneal burns may occur. May cause permanent damage.	
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be	
	bleeding from the mouth or nose.	
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may	
	cause coughing or wheezing.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immedi	ate medical attention and special treatment needed	
Immediate / special treatment:	Eye bathing equipment should be available on the premises.	

# Section 5: Fire-fighting measures

# SAFETY DATA SHEET

SAFETY KLEAN

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

# SAFETY DATA SHEET

SAFETY KLEAN

8.1. Control parameters

Workplace exposure limits: No data available.

#### **DNEL/PNEC Values**

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Yellow		
Odour:	Acidic.		
Evaporation rate:	No data available.		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Soluble		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	1.130 - 1.150	pH:	<2
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# SAFETY DATA SHEET

SAFETY KLEAN

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

#### **Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# SAFETY DATA SHEET

SAFETY KLEAN

## 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

14.1. UN number

UN number: UN3265

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(UREA SALTS)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### **Section 16: Other information**

# SAFETY DATA SHEET

SAFETY KLEAN

Other information	
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH208: Contains 1,3-diethyl-2-thiourea, benzotriazol, ar-methyl-, reaction product with
	formaldehyde and diethanolamine. May produce an allergic reaction.
	H290: May be corrosive to metals.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H312: Harmful in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H372: Causes damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.